

PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-000098-LIC
 ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368



Sample **Eighty Six - Purple Punch**

Sample ID	SD201211-046 (40454)	Matrix	Distillate - NI (Other Cannabis Good)	
Tested for	Eighty Six Brand			
Sampled	-	Received	Dec 11, 2020	
Analyses executed	CAN+, RES, MIBIG, MTO, PES, HME, FVI		Reported	NA

CAN+ - Cannabinoid Profile Analysis

Analyzed Dec 18, 2020 | Instrument HPLC-VWD | Method SOP-001

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g
Cannabidivarin (CBDV)	0.002	0.8	ND	ND
Cannabidiolic Acid (CBDA)	0.001	0.012	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.012	ND	ND
Cannabigerol (CBG)	0.001	0.012	ND	ND
Cannabidiol (CBD)	0.001	0.012	0.08	0.77
Tetrahydrocannabivarin (THCV)	0.001	0.003	<LOQ	<LOQ
Cannabinol (CBN)	0.001	0.012	0.43	4.27
Tetrahydrocannabinol (Δ9-THC)	0.003	0.012	ND	ND
Δ8-tetrahydrocannabinol (Δ8-THC)	0.004	0.012	63.97	639.74
Cannabinol (CBL)	0.002	0.006	ND	ND
Cannabichromene (CBC)	0.002	0.005	ND	ND
Tetrahydrocannabinolic Acid (THCA)	0.001	0.012	ND	ND
Total THC (THCa * 0.877 + THC)			-	-
Total CBD (CBDA * 0.877 + CBD)			0.08	0.77
Total CBG (CBGa * 0.877 + CBG)			0.00	0.00
TOTAL CANNABINOIDS			64.48	644.80

Sample photography



HME - Heavy Metals Detection Analysis

Analyzed Dec 21, 2020 | Instrument ICP/MSMS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0002	0.05	ND	1.5	Cadmium (Cd)	3.0e-05	0.05	ND	0.5
Mercury (Hg)	1.0e-05	0.01	ND	3	Lead (Pb)	1.0e-05	0.125	0.01	0.5

MIBIG - Microbial Testing Analysis

MTO - Mycotoxin Testing Analysis

ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TFNC Too Numerous to Count



Scan the QR code to verify authenticity.

This Certificate of Analysis has not been finalized and it represents a draft until electronically signed by:

Dr. Lia Prevedello, Laboratory Director



PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1

*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise.

PES - Pesticides Screening Analysis

RES - Residual Solvents Testing Analysis

Analyzed Dec 21, 2020 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.4	40.0	43.6	5000	Butane (But)	0.4	40.0	<LOQ	5000
Methanol (Metha)	0.4	40.0	<LOQ	3000	Ethylene Oxide (EthOx)	0.4	0.8	ND	1
Pentane (Pen)	0.4	40.0	ND	5000	Ethanol (Ethan)	0.4	40.0	728.4	5000
Ethyl Ether (EthEt)	0.4	40.0	ND	5000	Acetone (Acet)	0.4	40.0	<LOQ	5000
Isopropanol (2-Pro)	0.4	40.0	<LOQ	5000	Acetonitrile (Acetonit)	0.4	40.0	ND	410
Methylene Chloride (MetCh)	0.4	0.8	ND	1	Hexane (Hex)	0.4	40.0	ND	290
Ethyl Acetate (EthAc)	0.4	40.0	239.7	5000	Chloroform (Clo)	0.4	0.8	ND	1
Benzene (Ben)	0.4	0.8	ND	1	1-2-Dichloroethane (12-Dich)	0.4	0.8	ND	1
Heptane (Hep)	0.4	40.0	<LOQ	5000	Trichloroethylene (TriClEth)	0.4	0.8	ND	1
Toluene (Toluene)	0.4	40.0	ND	890	M,P-Xylene (mp-xyl)	0.4	40.0	ND	2170
O-Xylene (o-xyl)	0.4	40.0	ND	2170					

*The limit of 2170 ug/g for M,P-Xylene (mp-xyl) and O-Xylene (o-xyl) is to be intended as the two analytes combined.

FVI - Filth & Foreign Material Inspection Analysis

Analyzed Dec 21, 2020 | Instrument Microscope | Method SOP-010

Analyte / Limit	Result	Analyte / Limit	Result
> 1/4 of the total sample area covered by sand, soil, cinders, or dirt	ND	> 1/4 of the total sample area covered by mold	ND
> 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g	ND	> 1/4 of the total sample area covered by an imbedded foreign material	ND

ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

This Certificate of Analysis has not been finalized and it represents a draft until electronically signed by:

Dr. Lia Prevedello, Laboratory Director